

## Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
8B: Judson-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell Slope	0.50 0.01
8C: Judson-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Slope Shrink-swell	0.86 0.50
9B: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
9C2: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.86 0.50
9D2: Marshall-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
11B: Colo-----	60	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.01
Judson-----	30	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell Slope	0.50 0.01

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
24B: Shelby-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell Slope	0.50 0.01
24C2: Shelby-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Slope Shrink-swell	0.86 0.50
24D2: Shelby-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
24E2: Shelby-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
24E3: Shelby-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
24F2: Shelby-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
24F3: Shelby-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
51A: Vesser-----	95	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39
51A+: Vesser-----	95	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39
54: Zook-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
54+: Zook-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
55A: Nicollet-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.73	Somewhat limited Shrink-swell	0.50
62C2: Storden-----	100	Not limited		Not limited		Somewhat limited Slope	0.86
62D2: Storden-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
62E2: Storden-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
62F2: Storden-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
65E2: Lindley-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
65F2: Lindley-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
65F3: Lindley-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
65G2: Lindley-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
69D2: Clearfield-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
73D2: Salida-----	100	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
76A: Ladoga-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell	0.50
76B: Ladoga-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
76C: Ladoga-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
76C2: Ladoga-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
76D: Ladoga-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
76D2: Ladoga-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
76E2: Ladoga-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
80B: Clinton-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
80C2: Clinton-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
80D2: Clinton-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
80D3: Clinton-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
88: Nevin-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell	0.50
93D2: Shelby-----	60	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
Adair-----	35	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
93D3: Shelby-----	60	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
Adair-----	35	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
93E2: Shelby-----	60	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
Adair-----	30	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39	Very limited Slope Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
93E3: Shelby-----	60	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
Adair-----	30	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39	Very limited Slope Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
95: Harps-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
107: Webster-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
108A: Wadena-----	100	Not limited		Not limited		Not limited	
108B: Wadena-----	100	Not limited		Not limited		Somewhat limited Slope	0.01

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
108C2: Wadena-----	100	Not limited		Not limited		Somewhat limited Slope	0.86
133A: Colo-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
133A+: Colo-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
133B: Colo-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.01
133B+: Colo-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.01
138B: Clarion-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
138B2: Clarion-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
138C: Clarion-----	100	Not limited		Not limited		Somewhat limited Slope	0.86
138C2: Clarion-----	100	Not limited		Not limited		Somewhat limited Slope	0.86

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
138D2: Clarion-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
138E: Clarion-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
179D2: Gara-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
179E2: Gara-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
179F2: Gara-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
179G2: Gara-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
192D2: Adair-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
192E2: Adair-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39	Very limited Slope Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
192E3: Adair-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39	Very limited Slope Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
201B: Olmitz-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell Slope	0.50 0.12
Colo-----	30	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.50 0.01
203: Cylinder-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone	0.95	Somewhat limited Shrink-swell	0.50
212: Kennebec-----	95	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
220: Nodaway-----	95	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
222C2: Clarinda-----	100	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.86 0.39
222D2: Clarinda-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
236B: Lester-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell Slope	0.50 0.01
236C2: Lester-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Slope Shrink-swell	0.86 0.50
236D2: Lester-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope	0.63	Very limited Slope Shrink-swell	1.00 0.50
269: Humeston-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
273B: Olmitz-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell Slope	0.50 0.01

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
273C: Olmitz-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Slope Shrink-swell	0.86 0.50
308A: Wadena-----	100	Not limited		Not limited		Not limited	
308B: Wadena-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
308C: Wadena-----	100	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
313E2: Gosport-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.96 0.07	Very limited Shrink-swell Depth to saturated zone Slope Depth to soft bedrock	1.00 1.00 0.96 0.46	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.07
313F2: Gosport-----	100	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.07	Very limited Slope Shrink-swell Depth to saturated zone Depth to soft bedrock	1.00 1.00 1.00 0.46	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.07
315: Alluvial Land-----	90	Not rated		Not rated		Not rated	
318F: Clanton-----	100	Very limited Slope Shrink-swell	1.00 1.00	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.16	Very limited Slope Shrink-swell	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
354: Marsh-----	95	Not rated		Not rated		Not rated	
368: Macksburg-----	95	Very limited Shrink-swell	1.00	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Very limited Shrink-swell	1.00
370A: Sharpsburg-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell	0.50
370B: Sharpsburg-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
370C: Sharpsburg-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
370C2: Sharpsburg-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
370D: Sharpsburg-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
370D2: Sharpsburg-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
370E2: Sharpsburg-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
415D: Montieth-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.26	Very limited Slope	1.00
415E: Montieth-----	100	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.26	Very limited Slope	1.00
415F: Montieth-----	100	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.26	Very limited Slope	1.00
416E: Hesch-----	100	Very limited Slope	0.96	Very limited Slope Depth to soft bedrock	0.96 0.46	Very limited Slope	1.00
417D: Hesch-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
417E: Hesch-----	100	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
428B: Ely-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
485A: Spillville-----	95	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
507: Canisteo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
585B: Colo-----	60	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.01
Spillville-----	30	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
615B: Colo-----	60	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.01
Spillville-----	30	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
675C2: Dickinson-----	60	Not limited		Not limited		Somewhat limited Slope	0.86
Sharpsburg-----	30	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
675D2: Dickinson-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Sharpsburg-----	40	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
733: Calco-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
822D2: Lamoni-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
822E2: Lamoni-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
993E2: Gara-----	60	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Guthrie County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Armstrong-----	30	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
C133A: Colo-----	95	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
C220: Nodaway-----	90	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
T9B: Marshall-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
T76B: Ladoga-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
T370B: Sharpsburg-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
W: Water-----	100	Not rated		Not rated		Not rated	